

ABOVE

The fixture emits soft comfortable downlight. The conical shape and the matt, white-painted inside help assure even distribution of the light. The opening in the top of the fixture provides decorative illumination of the arch above, and ensures that the fixture retains the full expression of its visual shape both when illuminated and when switched off.



Mads Ogdgård

The Danish designer Mads Ogdgård (1960 to present), is a leading figure in a new generation of international designers. He is a minimalist and a 'less is more' man, who would rather deduct than add. More than anything, he believes that excellent design must be logical and functional if it is to endure.



Set location:
Alpha Dominche



Product info

Information

Ø400 & 550 LED: Compatible with leading and trailing edge mains dimmers. Please note that low power consumption on some products can affect dimming properties. Ø400 & 550 LED variants are delivered with antiglare shade included. For all other variants the antiglare shade can be purchased as an accessory.

Mounting

Suspension type: Cable 2x0,75mm² (Ø175/250) Cable 2x1,00mm² (Ø400 E27) Cable 2x1,5mm² (Ø400 LED). Cable 2x0,75mm² with wire (Ø550). Canopy: Yes. LED canopy contains driver. Cable length: 3m (Ø175/250/400 (E27)), 4m (Ø400 (LED)/Ø550).

Finish

White, matt or Black, matt, wet painted.

Materials

Shade: Spun aluminium.

Sizes and weights

Width x Height x Length (mm) | 550 x 660 x 550 Max 5.5 kg | 175 x 210 x 175 Max 0.6 kg | 250 x 300 x 250 Max 1.0 kg | 400 x 480 x 400 Max 4.0 kg

Class

Ingress protection IP20. Electric shock protection II w/o ground (E27). Electric shock protection I w. ground. (LED)

Light source

1x60W E27



Information

Ø400 & 550 LED: Compatible with leading and trailing edge mains dimmers. Please note that low power consumption on some products can affect dimming properties.

Ø400 & 550 LED variants are delivered with antiglare shade included. For all other variants the antiglare shade can be purchased as an accessory.

Product variants

Dimension	Colour	Light source	Lumen	Class	Lighting control
Ø 175	● Black	1x100W E27	-	I	-
Ø 250	○ White	1x60W E27	2413	II	Dali
Ø 400		LED 3000-1800K D2W 41W	2604		Phase dimming (mains dimm)
Ø 550		LED 3000K 41W	2929		Wireless bluetooth
			3160		

Design

Mads Odgård

Weight

Min: 0.647 kg Max: 5.453 kg

Dimensions


Ø 175, Ø 250, Ø 400, Ø 550

Finish


Black, White

Light distribution diagrams


Cartesian



Isolux



Polar



Spare parts & accessories

Product	Variant number
Canopy Black 2-part tophat®	5749329021
ABOVE 250 PEND ANTI-GLARE SHADE MATT	5741910483
ABOVE 400/550 PEND ANTI-GLARE SHADE MATT	5741910496