

AJ Floor

The fixture emits downward directed light. The angle of the shade can be adjusted to optimize light distribution. The shade is painted white on the inside to ensure a soft comfortable light.



Carl Hansen & Son Showroom



Sparekassen Vendsyssel

Product info

Information

The white version is supplied with a white cable. The other versions are supplied with a black cable.

Mounting

Cord type: White (White finish), black (non-white finish). Cord length: 9'. Switch: In-line on/off foot switch provided.

Finish

Dark green, dark grey, aubergine, light grey, midnight blue, pale petroleum, rusty red, yellow ochre, black or white, wet painted.

Materials

Base: Die cast zinc. Shade: Spun steel. Stem: Steel.

Compliance


cULus, Dry location.

Light source

1x15W A-19/medium

Information

The white version is supplied with a white cable. The other versions are supplied with a black cable.



Product family



AJ Table



AJ Wall



AJ 50 Wall



AJ Mini Table



AJ Royal

Product variants

Color	Cable type	Light source	Voltage frequency
<input checked="" type="radio"/> Aubergine	BLK	1x15W A-19/medium	120V
<input checked="" type="radio"/> Black	WHT		
<input type="radio"/> Dark green			
<input type="radio"/> Dark grey			
<input type="radio"/> Light grey			
<input type="radio"/> Midnight blue			
<input type="radio"/> Pale petroleum			
<input type="radio"/> Rusty red			
<input type="radio"/> Stainless steel polished			
<input type="radio"/> White			
<input type="radio"/> Yellow ochre			

Product description

Terse and iconic design

A semi-conical fixture head.

An arm fixed to a round mounting box holds the fixture head.

Fixture head pivots to direct light as needed.

Different colour variants.

Is a member of a product family for both outdoor and indoor

Mounting

Portable fixture plugs into standard wall outlet.

Light description

The fixture emits glare free, directed light.

Combined direct and indirect light ensures directed light with soft shadows

The shade is painted white on the inside to ensure a soft comfortable light distribution.

Design

Arne Jacobsen

Material

Fixture head and wall box: spun steel, 1.5mm (0.06") thick, wet painted.

Arm: extruded steel, 1.5mm (0.06") thick, wet painted.

Base: cast zinc plated steel, 1.5mm (0.06") thick.

Switch: on/off, phenolic, on cord.

Socket: Porcelain, medium base for A-19, frosted envelope lamps.

Weight

Min: 7.575 lbs Max: 7.996 lbs

Finish


Aubergine, Black, Dark green, Dark grey, Light grey, Midnight blue, Pale petroleum, Rusty red, Stainless steel polished, White, Yellow ochre

Voltage


120V

Light distribution diagrams

Cartesian



Isolux



Polar

