

Bank Pendant



Pendant

Lighting — Product Sheet
menu.as

by Norm Architects



Bank Pendant



Product Type

Pendant

Environment

Indoor

Dimensions (cm/ in)

H: 30 cm / 11,8"

Ø: 35 cm / 13,8"

Colors

Black (RAL 9005) and Opal Glass


Black (RAL 9005) and Clear Glass

The Bank Pendant is an indoor, semicircular pendant crafted from opal or smoke mouth-blown glass and black powder-coated aluminum fittings. The opaque glass gently diffuses 360-degree light from any E26 bulb, creating ambience and providing excellent task lighting. The pairing of opaque glass and fine metal lends the product enduring quality, tactility and longevity. A special fitting with a wire ensures that the unique glass shade can easily be adjusted to hang evenly.

About the Designer

Founded in Copenhagen in 2008 by Jonas Bjerre-Poulsen and Kasper Rønn, Norm Architects specialise in residential architecture, commercial interiors, industrial design, photography and art direction. Today, the group regularly collaborates with MENU, helping to drive the evolution of the brand and its product offerings. Norm Architects' name reflects the group's emphasis on the importance of drawing inspiration from norms and traditions within architecture and design – particularly the Scandinavian design principles of timeless aesthetics and natural materials, and the modernist values of restraint and refinement. Guided by these principles, Norm Architects produce design that unites good materials and craftsmanship, while embodying beauty, traditions, history and, most importantly, timeless simplicity, where there is nothing more to add or take away.

Bank Pendant



Production Process

The fitting is made with Cast Aluminum and the shade is Mouth Blown Glass.

Materials

Anodised Aluminum, Glass, E26 Socket

Weight item (kg/lbs)

4,9 - 5,5 kg / 10,8 - 12,12 lbs

The weight may vary due to the mouth-blown glass.

Voltage (V)

100-130V

Light Source & Energy Efficiency Class

E26 (Not Included), MAX 60W, A++, A+, A, B, C, D

Light Specification

Lumen, Kelvin and Ra Value depends on which bulb is used.

Dimmer

No. The lamp can be fitted with a dimmer by a certified electrician.

Canopy

Yes, ABS, Black

Ø: 11,5 cm / 4,5" * H: 3,8 cm / 1,5"

Cord Material and Color

Black PVC and Stainless Steel wire

Cord Length (cm/ in)

400 cm / 157,5"

Classification

CE and IP20

Certifications

LVD: EN 60598-2-1:1989; and EN 60598-1:2015; EN 62493:2015

Packaging Type

Giftbox

Packaging Measurement (H * W * D)

39 cm * 40 cm * 39 cm

Care Instructions

Use a soft dry cloth to clean. Do not use any cleaners with chemicals or harsh abrasives. Avoid using water.

Bank Pendant



Opal
1860629



Smoke
1860949